



LIFT-O-MAT[®]

Sprężyny gazowe do podnoszenia, opuszczania,
poruszania i regulowania


Tłok




Cylinder




Przylącze plastikowe




Przylącze metalowe




Przylącze przegubowe
plastik




Przylącze przegubowe
metal




Przylącze przegubowe
plastik






A Skok	B Długość całkowita (po wysunięciu)	F ₁ - [N]	Numer katalogowy
20	106,5	50	192910
		100	192929
		150	192937
		200	192945
		250	192953
		300	192961
		350	192988
		400	192996
40	145,5	50	185175
		100	191752
		150	192805
		200	192813
		250	192821
		300	082309
		350	082317
		400	094307
60	185,5	50	192848
		100	192856
		150	192864
		200	192872
		250	192880
		300	082384
		350	082392
		400	094315
80	226,5	50	082406
		100	082414
		150	082422
		200	082430
		250	082449
		300	082457
		350	082465
		400	094323

A Skok	B Długość całkowita (po wysunięciu)	F ₁ - [N]	Numer katalogowy
100	265,5	50	082473
		100	082481
		150	082503
		200	082511
		250	082538
		300	082546
		350	082554
		400	094331
120	305,5	50	082562
		100	082570
		150	082589
		200	082597
		250	082600
		300	082627
		350	082635
		400	094358
150	365,5	50	082643
		100	082651
		150	082678
		200	082686
		250	082694
		300	082708
		350	082716
		400	6756RS




A Skok	B Długość całkowita (po wysunięciu)	F ₁ - [N]	Numer katalogowy
20	115,5	50	4727PB
		100	4728PX
		150	4729PS
		200	4731PZ
		250	4732PU
		300	4733PP
		350	4734PK
		400	4735PF
40	155,5	50	2606NW
		100	2607NR
		150	2608NM
		200	2609NH
		250	2611NO
		300	2612NJ
		350	2613NE
		400	2615NV
60	195,5	50	6444IK
		100	6488IU
		150	6489IP
		200	6491IW
		250	6492IR
		300	6493IM
		350	6494IH
		400	6495IC
80	235,5	50	6449IM
		100	6501IP
		150	6502IK
		200	6503IF
		250	6504IA
		300	6505IW
		350	6506IR
		400	6507IM

A Skok	B Długość całkowita (po wysunięciu)	F ₁ - [N]	Numer katalogowy
100	275,5	50	6458IL
		100	6508IH
		150	6509IC
		200	6511IJ
		250	6514IV
		300	6515IQ
		350	6516IL
		400	6517IG
120	315,5	50	6462II
		100	6519IX
		150	6521ID
		200	6522IZ
		250	6523IU
		300	6524IP
		350	6525IK
		400	6526IF
150	375,5	50	6467IK
		100	6539IL
		150	6541IS
		200	6542IN
		250	6543II
		300	6544ID
		350	6545IZ
		400	6153PC



A Skok	B Długość całkowita (po wysunięciu)	F ₁ - [N]	Numer katalogowy
20	115,5	50	4829DF
		100	4832DH
		150	4834DY
		200	1324DI
		250	4836DO
		300	4838DE
		350	4842DB
		400	4844DS
40	155,5	50	4846DI
		100	4848DZ
		150	4851DA
		200	1338DJ
		250	4853DR
		300	4855DH
		350	4857DY
		400	4859DO
60	195,5	50	4862DQ
		100	4534DS
		150	4904DI
		200	1345DS
		250	4906DZ
		300	4908DP
		350	4911DR
		400	4913DH
80	235,5	50	4915DY
		100	4917DO
		150	4919DE
		200	1395DP
		250	4922DG
		300	4924DX
		350	4926DN
		400	4928DD

A Skok	B Długość całkowita (po wysunięciu)	F ₁ - [N]	Numer katalogowy
100	275,5	50	4931DF
		100	4933DW
		150	4935DM
		200	1406DD
		250	5004DJ
		300	5007DV
		350	5009DL
		400	5012DN
120	315,5	50	5025DT
		100	5027DJ
		150	5031DG
		200	1515DW
		250	5033DX
		300	5035DN
		350	5037DD
		400	5069DC
150	375,5	50	5072DE
		100	5075DQ
		150	5077DG
		200	1562DH
		250	5079DX
		300	5082DZ
		350	5084DP
		400	1205RU



A Skok	B Długość całkowita (po wysunięciu)	F ₁ - [N]	Numer katalogowy
20	127,5	50	1885LI
		100	2121LY
		150	2122LT
		200	2123LO
		250	2124LJ
		300	2125LE
		350	2127LV
		400	2128LQ
40	166,5	50	1888LU
		100	2131LS
		150	2132LN
		200	2133LI
		250	2134LD
		300	2135LZ
		350	2136LU
		400	2138LK
60	206,5	50	1894LH
		100	2139LF
		150	2141LM
		200	2142LH
		250	2143LC
		300	2144LY
		350	2145LT
		400	2146LO
80	247,5	50	1901LP
		100	2148LE
		150	2151LG
		200	2152LB

A Skok	B Długość całkowita (po wysunięciu)	F ₁ - [N]	Numer katalogowy
80	247,5	250	2154LS
		300	2155LN
		350	2156LI
		400	2157LD
100	286,5	50	1904LA
		100	2158LZ
		150	2159LU
		200	2161LA
		250	2162LW
		300	2163LR
		350	2164LM
		400	2165LH
120	326,5	50	1908LH
		100	2208LV
		150	2209LQ
		200	2211LX
		250	2212LS
		300	2213LN
		350	2214LI
		400	2215LD
150	386,5	50	1915LQ
		100	2166LC
		150	2167LY
		200	2168LT
		250	2169LO
		300	2171LV
		350	2172LQ
		400	2352LO