

























TUBE FITTINGS						
NPTF adaptors male/male						
Pipe thread male (1)	Pipe thread male (2)				Pipe thread male	
1/8	1/8	REF 124TA4169	REF 124TA4180	REF 125TA4605	1/8	REF 125TA4607
1/4	1/8	REF 124TA4170			1/8	REF 125TA4608
1/4	1/4	REF 111TA6218	REF 124TA4181		1/8	REF 125TA4609
3/8	1/8	REF 124TA4171		REF 124TA4186	1/8	REF 125TA4610
3/8	1/4	REF 124TA4172				
3/8	3/8	REF 124TA4173	REF 124TA4182	REF 125TA4606	1/4	REF 125TA4611
1/2	1/4	REF 124TA4174			1/4	REF 125TA4612
1/2	3/8	REF 125TA4602			1/4	REF 125TA4613
1/2	1/2	REF 124TA4175	REF 124TA4183		1/4	REF 125TA4614
3/4	1/2	REF 124TA4176		REF 124TA4187	1/4	REF 125TA4615
3/4	3/4	REF 124TA4177	REF 124TA4184			
1	1	REF 124TA4178	REF 124TA4185		1/2	REF 125TA4616
1.1/4	1	REF 124TA4179			1/2	REF 125TA4617
1.1/4	1.1/4	REF 125TA4603				
1.1/2	1.1/2	REF 125TA4604				





NPTF adaptors male/female							
Pipe thread female (1)	Pipe thread female (2)	Pipe thread reducer	Reducing connector	Street elbow	Street elbow 45°	Male run tee	Male branch tee
1/8	1/8	REF 124TA4188	REF 124TA4201	REF 124TA4211	REF 124TA4218	REF 124TA4224	REF 124TA4230
1/4	1/8						
1/4	1/4			REF 124TA4212	REF 124TA4219	REF 124TA4225	REF 124TA4231
3/8	1/8	REF 124TA4189					
3/8	1/4	REF 124TA4190	REF 124TA4202	REF 124TA4213			
3/8	3/8			REF 107TA7888	REF 124TA4220	REF 124TA4226	REF 124TA4232
1/2	1/8	REF 124TA4191	REF 124TA4203				
1/2	1/4	REF 124TA4192	REF 124TA4204				
1/2	3/8	REF 124TA4193	REF 124TA4205				
1/2	1/2			REF 124TA4214	REF 124TA4221	REF 124TA4227	REF 124TA4233
3/4	1/4	REF 124TA4194	REF 124TA4206				
3/4	3/8	REF 124TA4195					
3/4	1/2	REF 124TA4196	REF 124TA4207				
3/4	3/4			REF 124TA4215	REF 124TA4222	REF 124TA4228	REF 124TA4234
1	3/8	REF 124TA4197					
1	1/2	REF 124TA4198	REF 124TA4208				
1	3/4	REF 124TA4199	REF 124TA4209				
1	1			REF 124TA4216	REF 124TA4223	REF 124TA4229	
1.1/4	1/2	REF 125TA4618					
1.1/4	3/4	REF 125TA4619					
1.1/4	1	REF 124TA4200	REF 124TA4210				
1.1/4	1.1/4			REF 124TA4217			
1.1/2	3/4	REF 125TA4620					
1.1/2	1	REF 125TA4621					
1.1/2	1.1/4	REF 125TA4622					
2	1.1/4	REF 125TA4623					




NPTF adaptors female/female						
Pipe thread female (1)	Pipe thread female (2)					
1/8	1/8	REF 124TA4235	REF 124TA4246		REF 124TA4257	REF 124TA4264
1/4	1/8	REF 124TA4236				
1/4	1/4	REF 111TA6219	REF 124TA4247	REF 124TA4252	REF 124TA4258	REF 124TA4265
3/8	1/8	REF 124TA4237				
3/8	1/4	REF 124TA4238				
3/8	3/8	REF 124TA4239	REF 124TA4248	REF 124TA4253	REF 124TA4259	REF 124TA4266
1/2	1/4	REF 124TA4240				
1/2	3/8	REF 124TA4241				
1/2	1/2	REF 124TA4242	REF 124TA4249	REF 124TA4254	REF 124TA4260	REF 124TA4267
3/4	1/2	REF 124TA4243				
3/4	3/4	REF 124TA4244	REF 124TA4250	REF 124TA4255	REF 124TA4261	REF 124TA4268
1	1	REF 124TA4245	REF 124TA4251	REF 124TA4256	REF 124TA4262	REF 125TA4629
1.1/4	1.1/4	REF 125TA4624	REF 125TA4626		REF 124TA4263	
1.1/2	1.1/2	REF 125TA4625	REF 125TA4627		REF 125TA4628	



NPTF plug			
Pipe thread male			
1/16			REF 124TA4275
1/8		REF 124TA4269	REF 124TA4276
1/4		REF 124TA4270	REF 124TA4277
3/8		REF 124TA4271	REF 124TA4278
1/2		REF 124TA4272	REF 124TA4279
3/4		REF 124TA4273	REF 124TA4280
1		REF 124TA4274	






TUBE FITTINGS						
Male/male adaptors BSPP 60° cone						
Thread (1)	Thread (2)	Male union	Bulkhead union	Union elbow	Union tee	Hex head plug
1/4	1/4	REF <a href="#">125TA4630</a>	REF <a href="#">125TA4636</a>	REF <a href="#">124TA4285</a>	REF <a href="#">125TA4645</a>	REF <a href="#">125TA4650</a>
3/8	1/4	REF <a href="#">125TA4631</a>				
3/8	3/8	REF <a href="#">125TA4632</a>	REF <a href="#">125TA4637</a>	REF <a href="#">125TA4641</a>	REF <a href="#">125TA4646</a>	REF <a href="#">125TA4651</a>
1/2	3/8	REF <a href="#">125TA4633</a>				
1/2	1/2	REF <a href="#">124TA4281</a>	REF <a href="#">125TA4638</a>	REF <a href="#">125TA4642</a>	REF <a href="#">125TA4647</a>	REF <a href="#">124TA4286</a>
5/8	5/8	REF <a href="#">125TA4634</a>				
3/4	1/2	REF <a href="#">124TA4282</a>				
3/4	3/4	REF <a href="#">124TA4283</a>	REF <a href="#">125TA4639</a>	REF <a href="#">125TA4643</a>	REF <a href="#">125TA4648</a>	REF <a href="#">125TA4652</a>
1	3/4	REF <a href="#">124TA4284</a>				
1	1	REF <a href="#">125TA4635</a>	REF <a href="#">125TA4640</a>	REF <a href="#">125TA4644</a>	REF <a href="#">125TA4649</a>	REF <a href="#">125TA4653</a>


Male/female adaptors BSPP 60° cone					
Thread (1)	Thread (2)	Swivel nut male adaptor	Swivel nut elbow	Swivel nut run tee	Swivel nut branch tee
1/4	1/4	REF <a href="#">124TA4287</a>	REF <a href="#">124TA4289</a>	REF <a href="#">124TA4293</a>	REF <a href="#">124TA4294</a>
3/8	1/4	REF <a href="#">125TA4654</a>			
3/8	3/8	REF <a href="#">125TA4655</a>	REF <a href="#">124TA4290</a>	REF <a href="#">125TA4662</a>	REF <a href="#">125TA4666</a>
1/2	3/8	REF <a href="#">125TA4656</a>			
1/2	1/2	REF <a href="#">125TA4657</a>	REF <a href="#">124TA4291</a>	REF <a href="#">125TA4663</a>	REF <a href="#">124TA4295</a>
3/4	1/2	REF <a href="#">125TA4658</a>			
3/4	3/4	REF <a href="#">124TA4288</a>	REF <a href="#">125TA4661</a>	REF <a href="#">125TA4664</a>	REF <a href="#">125TA4667</a>
1	3/4	REF <a href="#">125TA4659</a>			
1	1	REF <a href="#">125TA4660</a>	REF <a href="#">124TA4292</a>	REF <a href="#">125TA4665</a>	REF <a href="#">125TA4668</a>

Female/female adaptors BSPP 60° cone				
Thread		Swivel union	Swivel elbow	Swivel tee
1/4		REF <a href="#">125TA4669</a>	REF <a href="#">125TA4674</a>	REF <a href="#">125TA4678</a>
3/8		REF <a href="#">125TA4670</a>	REF <a href="#">125TA4675</a>	REF <a href="#">125TA4679</a>
1/2		REF <a href="#">125TA4671</a>	REF <a href="#">125TA4676</a>	REF <a href="#">125TA4680</a>
3/4		REF <a href="#">125TA4672</a>	REF <a href="#">124TA4296</a>	REF <a href="#">125TA4681</a>
1		REF <a href="#">125TA4673</a>	REF <a href="#">125TA4677</a>	REF <a href="#">125TA4682</a>



BSPP adaptors female/female			
Thread			
1/8		REF <a href="#">124TA4297</a>	
1/4		REF <a href="#">124TA4298</a>	REF <a href="#">125TA4684</a>
3/8		REF <a href="#">124TA4299</a>	REF <a href="#">125TA4685</a>
1/2		REF <a href="#">124TA4300</a>	REF <a href="#">125TA4686</a>
3/4		REF <a href="#">124TA4301</a>	REF <a href="#">125TA4687</a>
1		REF <a href="#">125TA4683</a>	REF <a href="#">125TA4688</a>




BSPT male plug		
Male thread		
1/8		REF <a href="#">124TA4269</a>
1/4		REF <a href="#">125TA4689</a>
3/8		REF <a href="#">124TA4302</a>
1/2		REF <a href="#">124TA4303</a>
3/4		REF <a href="#">125TA4690</a>
1		REF <a href="#">125TA4691</a>



Reducing bushes BSPP/BSPT			
BSPP/BSPT male thread (1)	BSPP female thread (2)	Reducing bush BSPP/BSPP	Reducing bush BSPP/BSPT
1/4	1/8	REF <a href="#">125TA4692</a>	REF <a href="#">124TA4308</a>
3/8	1/4	REF <a href="#">125TA4693</a>	REF <a href="#">124TA4309</a>
1/2	1/4	REF <a href="#">124TA4304</a>	
1/2	3/8	REF <a href="#">124TA4305</a>	REF <a href="#">124TA4310</a>
3/4	3/8	REF <a href="#">125TA4694</a>	REF <a href="#">125TA4698</a>
3/4	1/2	REF <a href="#">124TA4306</a>	REF <a href="#">125TA4699</a>
1	1/4	REF <a href="#">125TA4695</a>	
1	3/8	REF <a href="#">125TA4696</a>	
1	1/2	REF <a href="#">124TA4307</a>	
1	3/4	REF <a href="#">125TA4697</a>	REF <a href="#">125TA4700</a>




Male union BSPT		
Thread (1)	Thread (2)	
1/8	1/8	REF <a href="#">124TA4169</a>
1/4	1/8	REF <a href="#">124TA4311</a>
1/4	1/4	REF <a href="#">124TA4312</a>
3/8	1/4	REF <a href="#">124TA4172</a>
3/8	3/8	REF <a href="#">124TA4313</a>
1/2	3/8	REF <a href="#">125TA4701</a>
1/2	1/2	REF <a href="#">124TA4314</a>
3/4	1/2	REF <a href="#">125TA4702</a>
3/4	3/4	REF <a href="#">124TA4315</a>
1	3/4	REF <a href="#">125TA4703</a>
1	1	REF <a href="#">125TA4704</a>



TUBE FITTINGS			
UNF plugs			
Thread			
5/16-24		REF <a href="#">124TA4316</a>	REF <a href="#">124TA4328</a>
3/8-24		REF <a href="#">124TA4317</a>	REF <a href="#">124TA4329</a>
7/16-20		REF <a href="#">124TA4318</a>	REF <a href="#">124TA4330</a>
1/2-20		REF <a href="#">124TA4319</a>	REF <a href="#">124TA4331</a>
9/16-18		REF <a href="#">124TA4320</a>	REF <a href="#">124TA4332</a>
3/4-16		REF <a href="#">124TA4321</a>	REF <a href="#">124TA4333</a>
7/8-14		REF <a href="#">124TA4322</a>	REF <a href="#">124TA4334</a>
1.1/16-12		REF <a href="#">124TA4323</a>	REF <a href="#">124TA4335</a>
1.5/16-12		REF <a href="#">124TA4324</a>	REF <a href="#">124TA4336</a>
1.5/8-12		REF <a href="#">124TA4325</a>	REF <a href="#">124TA4337</a>
1.7/8-12		REF <a href="#">124TA4326</a>	
2.1/2-12		REF <a href="#">124TA4327</a>	

UNF/NPTF adaptors				
UNF male thread (1)	UNF female thread (2)			
9/16-18	1/4	REF <a href="#">125TA4705</a>		
3/4-16	1/4	REF <a href="#">125TA4706</a>		
3/4-16	3/8	REF <a href="#">125TA4707</a>	REF <a href="#">124TA4352</a>	REF <a href="#">124TA4356</a>
3/4-16	1/2	REF <a href="#">125TA4708</a>		
7/8-14	1/4	REF <a href="#">125TA4709</a>		
7/8-14	3/8	REF <a href="#">125TA4710</a>		
7/8-14	1/2	REF <a href="#">125TA4711</a>	REF <a href="#">124TA4353</a>	REF <a href="#">124TA4357</a>
7/8-14	3/4	REF <a href="#">125TA4712</a>		
1.1/16-12	1/2	REF <a href="#">125TA4713</a>		
1.1/16-12	3/4	REF <a href="#">125TA4714</a>	REF <a href="#">124TA4354</a>	REF <a href="#">124TA4358</a>
1.5/16-12	1/2	REF <a href="#">125TA4715</a>		
1.5/16-12	3/4	REF <a href="#">125TA4716</a>		
1.5/16-12	1	REF <a href="#">125TA4717</a>	REF <a href="#">124TA4355</a>	REF <a href="#">124TA4359</a>
1.5/8-12	1	REF <a href="#">125TA4718</a>		
1.5/8-12	1.1/4	REF <a href="#">125TA4719</a>		
1.7/8-12	1	REF <a href="#">125TA4720</a>		
1.7/8-12	1.1/2	REF <a href="#">125TA4721</a>		







UNF/UNF adaptors			
Thread (1)	Thread (2)	Straight thread reducer	Straight thread union
7/16-20	7/16-20		REF <a href="#">125TA4729</a>
7/16-20	9/16-18	REF <a href="#">125TA4722</a>	REF <a href="#">125TA4730</a>
9/16-18	7/16-20	REF <a href="#">124TA4360</a>	
9/16-18	9/16-18		
9/16-18	3/4-16	REF <a href="#">124TA4361</a>	
3/4-16	9/16-18	REF <a href="#">125TA4723</a>	
3/4-16	3/4-16		REF <a href="#">131TA9473</a>
3/4-16	7/8-14	REF <a href="#">125TA4724</a>	
7/8-14	9/16-18	REF <a href="#">125TA4725</a>	
7/8-14	3/4-16	REF <a href="#">124TA4362</a>	
7/8-14	1.1/16-12	REF <a href="#">124TA4363</a>	
1.1/16-12	3/4-16	REF <a href="#">124TA4364</a>	
1.1/16-12	7/8-14	REF <a href="#">124TA4365</a>	
7/8-14	7/8-14		REF <a href="#">125TA4732</a>
1.5/16-12	3/4-16	REF <a href="#">124TA4366</a>	
1.1/16-12	1.1/16-12		REF <a href="#">125TA4733</a>
1.5/16-12	1.1/16-12	REF <a href="#">124TA4367</a>	
1.5/8-12	1.1/16-12	REF <a href="#">124TA4368</a>	
1.5/8-12	1.5/16-12	REF <a href="#">125TA4726</a>	
1.7/8-12	1.1/16-12	REF <a href="#">125TA4727</a>	
1.7/8-12	1.5/16-12	REF <a href="#">125TA4728</a>	
1.7/8-12	1.5/8-12	REF <a href="#">124TA4369</a>	

BSPT-BSPP-metric UNF Conversion adaptors				
UNF female thread	BSPT male thread	Male BSPT to female UNF thread	Male BSPP to female UNF thread	Male metric to female UNF thread
7/16-20	1/8	REF <a href="#">124TA4370</a>	REF <a href="#">125TA4740</a>	REF <a href="#">125TA4747</a>
9/16-18	1/8	REF <a href="#">125TA4734</a>	REF <a href="#">131TA9474</a>	REF <a href="#">125TA4748</a>
9/16-18			REF <a href="#">125TA4742</a>	
3/4-16	1/4	REF <a href="#">125TA4735</a>		REF <a href="#">125TA4749</a>
7/8-14	3/8	REF <a href="#">125TA4736</a>	REF <a href="#">125TA4743</a>	REF <a href="#">125TA4750</a>
1.1/16-12	1/2	REF <a href="#">125TA4737</a>	REF <a href="#">125TA4744</a>	REF <a href="#">125TA4751</a>
1.5/16-12	3/4	REF <a href="#">125TA4738</a>	REF <a href="#">125TA4745</a>	REF <a href="#">125TA4752</a>
1.5/8-12				REF <a href="#">125TA4753</a>
1.7/8-12	1	REF <a href="#">125TA4739</a>	REF <a href="#">125TA4746</a>	REF <a href="#">125TA4754</a>





## TUBE FITTINGS




### JIS adaptors BSPP-BSPT

BSPT thread (1)	BSPP thread (2)						
1/4	1/4	REF <a href="#">125TA4755</a>	REF <a href="#">125TA4760</a>	REF <a href="#">125TA4764</a>	REF <a href="#">125TA4769</a>	REF <a href="#">125TA4774</a>	REF <a href="#">125TA4779</a>
3/8	3/8	REF <a href="#">125TA4756</a>	REF <a href="#">124TA4371</a>	REF <a href="#">125TA4765</a>	REF <a href="#">125TA4770</a>	REF <a href="#">125TA4775</a>	REF <a href="#">125TA4780</a>
1/2	1/2	REF <a href="#">125TA4757</a>	REF <a href="#">125TA4761</a>	REF <a href="#">125TA4766</a>	REF <a href="#">125TA4771</a>	REF <a href="#">125TA4776</a>	REF <a href="#">125TA4781</a>
3/4	3/4	REF <a href="#">125TA4758</a>	REF <a href="#">125TA4762</a>	REF <a href="#">125TA4767</a>	REF <a href="#">125TA4772</a>	REF <a href="#">125TA4777</a>	REF <a href="#">125TA4782</a>
1	1	REF <a href="#">125TA4759</a>	REF <a href="#">125TA4763</a>	REF <a href="#">125TA4768</a>	REF <a href="#">125TA4773</a>	REF <a href="#">125TA4778</a>	REF <a href="#">125TA4783</a>

### JIS unions

BSPP thread (1)	BSPP thread (2)		
1/4	1/4	REF <a href="#">125TA4784</a>	REF <a href="#">125TA4789</a>
3/8	3/8	REF <a href="#">125TA4785</a>	REF <a href="#">125TA4790</a>
1/2	1/2	REF <a href="#">125TA4786</a>	REF <a href="#">125TA4791</a>
3/4	3/4	REF <a href="#">125TA4787</a>	REF <a href="#">125TA4792</a>
1	1	REF <a href="#">125TA4788</a>	REF <a href="#">125TA4793</a>






### JIS adaptors – BSPT

BSPT thread 30° male (1)	BSPT thread (2)			
1/4	1/4	REF <a href="#">124TA4372</a>	REF <a href="#">124TA4380</a>	REF <a href="#">124TA4385</a>
1/4	3/8	REF <a href="#">124TA4373</a>		
3/8	1/4	REF <a href="#">124TA4374</a>		
3/8	3/8	REF <a href="#">124TA4375</a>	REF <a href="#">124TA4381</a>	REF <a href="#">124TA4386</a>
1/2	3/8	REF <a href="#">124TA4376</a>		
1/2	1/2	REF <a href="#">124TA4377</a>	REF <a href="#">124TA4382</a>	REF <a href="#">124TA4387</a>
3/4	3/4	REF <a href="#">124TA4378</a>	REF <a href="#">124TA4383</a>	REF <a href="#">124TA4388</a>
1	1	REF <a href="#">124TA4379</a>	REF <a href="#">124TA4384</a>	REF <a href="#">124TA4389</a>









### JIC 37° adap- tors (Triple-Lok)







SAE thread JIC 37°	NPTF thread	Male union NPTF	UNF thread	Male union UNF	BSPP thread	Male union BSPP	Metric thread ISO 6149	Male union ISO 6149	Metric thread DIN 3852	Male union DIN 3852
7/16-20	1/8	REF <a href="#">124TA4390</a>	7/16	REF <a href="#">107TA3680</a>	1/8	REF <a href="#">125TA4798</a>				
7/16-20	1/4	REF <a href="#">124TA4391</a>	1/2	REF <a href="#">124TA3724</a>	1/4	REF <a href="#">124TA3653</a>	M10x1	REF <a href="#">125TA4818</a>	M10x1	REF <a href="#">125TA4829</a>
7/16-20	3/8	REF <a href="#">124TA4392</a>	9/16	REF <a href="#">124TA3725</a>	3/8	REF <a href="#">125TA4799</a>				
7/16-20	1/2	REF <a href="#">124TA4393</a>	3/4	REF <a href="#">124TA4400</a>	1/2	REF <a href="#">125TA4800</a>				
1/2-20	1/8	REF <a href="#">124TA3430</a>	1/2	REF <a href="#">124TA3727</a>	1/4	REF <a href="#">125TA4801</a>	M12x1,5	REF <a href="#">125TA4819</a>	M12x1,5	REF <a href="#">125TA4830</a>
1/2-20	1/4	REF <a href="#">124TA3431</a>	9/16	REF <a href="#">124TA4401</a>	3/8	REF <a href="#">125TA4802</a>				
9/16-18	1/8	REF <a href="#">124TA4393</a>	7/16	REF <a href="#">124TA3728</a>	1/8	REF <a href="#">124TA3654</a>				
9/16-18	1/4	REF <a href="#">124TA4394</a>	1/2	REF <a href="#">124TA4402</a>	1/4	REF <a href="#">125TA4803</a>	M14x1,5	REF <a href="#">125TA4820</a>	M14x1,5	REF <a href="#">125TA4831</a>
9/16-18	3/8	REF <a href="#">124TA4395</a>	9/16	REF <a href="#">107TA3668</a>	3/8	REF <a href="#">124TA3655</a>				
9/16-18	1/2	REF <a href="#">124TA3435</a>	3/4	REF <a href="#">124TA3729</a>	1/2	REF <a href="#">124TA3656</a>	M16x1,5	REF <a href="#">125TA4821</a>	M16x1,5	REF <a href="#">125TA4832</a>
3/4-16	1/4	REF <a href="#">124TA4396</a>	9/16	REF <a href="#">124TA3731</a>	1/4	REF <a href="#">125TA4804</a>				
3/4-16	3/8	REF <a href="#">124TA4397</a>	3/4	REF <a href="#">113TA1676</a>	3/8	REF <a href="#">124TA3657</a>	M16x1,5	REF <a href="#">125TA4822</a>	M16x1,5	REF <a href="#">125TA4833</a>
3/4-16	1/2	REF <a href="#">124TA4398</a>	7/8	REF <a href="#">125TA4794</a>	1/2	REF <a href="#">125TA4805</a>				
3/4-16	3/4	REF <a href="#">124TA3439</a>	1.1/16	REF <a href="#">124TA3733</a>	3/4	REF <a href="#">125TA4806</a>				
7/8-14	3/8	REF <a href="#">124TA3440</a>	3/4	REF <a href="#">124TA3735</a>	3/8	REF <a href="#">125TA4807</a>	M18x1,5	REF <a href="#">125TA4823</a>	M18x1,5	REF <a href="#">125TA4834</a>
7/8-14	1/2	REF <a href="#">124TA3441</a>	7/8	REF <a href="#">124TA3734</a>	1/2	REF <a href="#">124TA3658</a>	M22x1,5	REF <a href="#">125TA4824</a>	M22x1,5	REF <a href="#">125TA4835</a>
7/8-14	3/4	REF <a href="#">124TA3442</a>	1.1/16	REF <a href="#">124TA3736</a>	3/4	REF <a href="#">124TA3659</a>				
1.1/16-12	1/2	REF <a href="#">124TA3443</a>	3/4	REF <a href="#">124TA3738</a>	1/2	REF <a href="#">125TA4808</a>	M22x1,5	REF <a href="#">125TA4824</a>	M22x1,5	REF <a href="#">125TA4836</a>
1.1/16-12	3/4	REF <a href="#">124TA3444</a>	7/8	REF <a href="#">124TA3739</a>	3/4	REF <a href="#">124TA3661</a>	M27x	REF <a href="#">125TA4825</a>	M27x	REF <a href="#">125TA4837</a>
1.1/16-12	1	REF <a href="#">124TA3445</a>	1.1/16	REF <a href="#">124TA3737</a>	1	REF <a href="#">125TA4809</a>				
1.1/16-12			1.3/16	REF <a href="#">125TA4795</a>						
1.1/16-12			1.5/16	REF <a href="#">124TA3740</a>						
1.3/16-12	3/4	REF <a href="#">124TA3446</a>	1.3/16	REF <a href="#">124TA3741</a>	3/4	REF <a href="#">124TA3662</a>				
1.3/16-12			1.5/16	REF <a href="#">125TA4796</a>						
1.5/16-12			7/8	REF <a href="#">124TA3744</a>						
1.5/16-12	3/4	REF <a href="#">124TA3447</a>	1.1/16	REF <a href="#">124TA3745</a>	3/4	REF <a href="#">125TA4810</a>				
1.5/16-12	1	REF <a href="#">124TA3448</a>	1.5/16	REF <a href="#">124TA3743</a>	1	REF <a href="#">125TA4811</a>	M33x	REF <a href="#">125TA4826</a>	M33x	REF <a href="#">125TA4838</a>
1.5/16-12			1.5/8	REF <a href="#">124TA4403</a>	1.1/4	REF <a href="#">125TA4812</a>				
1.5/8-12	1	REF <a href="#">124TA3449</a>	1.5/16	REF <a href="#">124TA3749</a>	1	REF <a href="#">125TA4813</a>				
1.5/8-12	1.1/4	REF <a href="#">124TA3499</a>	1.5/8	REF <a href="#">124TA3748</a>	1.1/4	REF <a href="#">125TA4814</a>	M42x2	REF <a href="#">125TA4827</a>	M42x2	REF <a href="#">125TA4839</a>
1.7/8-12	1.1/4	REF <a href="#">124TA3451</a>	1.5/8	REF <a href="#">124TA4404</a>	1.1/4	REF <a href="#">125TA4815</a>				
1.7/8-12	1.1/2	REF <a href="#">124TA3452</a>	1.7/8	REF <a href="#">124TA3750</a>	1.1/2	REF <a href="#">125TA4816</a>	M48x2	REF <a href="#">125TA4828</a>	M48x2	REF <a href="#">125TA4840</a>
2.1/4-12					1.1/2	REF <a href="#">125TA4817</a>				
2.1/2-12	2	REF <a href="#">124TA3453</a>	2.1/2	REF <a href="#">125TA4797</a>						









TUBE FITTINGS										
ORFS adaptors (O-Lok)										
UNF straight thread ORFS	NPTF thread	Male union NPTF	UNF thread	Male union UNF	BSPP thread	Male union BSPP	Metric thread ISO 6149	Male union ISO 6149	Metric thread DIN 3852	Male union DIN 3852
9/16-18	1/8	REF <a href="#">124TA4405</a>	7/16	REF <a href="#">124TA4422</a>	1/8	REF <a href="#">124TA4436</a>				
9/16-18	1/4	REF <a href="#">124TA4406</a>			1/4	REF <a href="#">124TA4437</a>	M12x1	REF <a href="#">124TA4462</a>	M12x1	REF <a href="#">124TA4468</a>
9/16-18	3/8	REF <a href="#">124TA4407</a>	9/16	REF <a href="#">124TA4423</a>	3/8	REF <a href="#">124TA4438</a>				
9/16-18			3/4	REF <a href="#">125TA4843</a>	1/2	REF <a href="#">124TA4439</a>				
11/16-16			7/16	REF <a href="#">124TA4424</a>	1/8	REF <a href="#">124TA4440</a>				
11/16-16	1/4	REF <a href="#">124TA4408</a>			1/4	REF <a href="#">124TA4441</a>	M16x1,5	REF <a href="#">124TA4463</a>	M16x1,5	REF <a href="#">125TA4861</a>
11/16-16	3/8	REF <a href="#">124TA4409</a>	9/16	REF <a href="#">124TA4425</a>	3/8	REF <a href="#">124TA4442</a>				
11/16-16	1/2	REF <a href="#">124TA4410</a>	3/4	REF <a href="#">124TA4426</a>	1/2	REF <a href="#">124TA4443</a>				
11/16-16			7/8	REF <a href="#">125TA4844</a>	3/4	REF <a href="#">124TA4444</a>				
13/16-16			9/16	REF <a href="#">124TA4427</a>	1/4	REF <a href="#">124TA4445</a>				
13/16-16	3/8	REF <a href="#">124TA4411</a>	3/4	REF <a href="#">124TA4428</a>	3/8	REF <a href="#">124TA4446</a>	M18x1,5	REF <a href="#">124TA4464</a>	M18x1,5	REF <a href="#">124TA4469</a>
13/16-16	1/2	REF <a href="#">124TA4412</a>	7/8	REF <a href="#">124TA4429</a>	1/2	REF <a href="#">124TA4447</a>				
13/16-16	3/4	REF <a href="#">124TA4413</a>	1.1/16	REF <a href="#">125TA4845</a>	3/4	REF <a href="#">124TA4448</a>				
13/16-16			1.5/16	REF <a href="#">125TA4846</a>						
1-14			3/4	REF <a href="#">124TA4430</a>	3/8	REF <a href="#">124TA4449</a>				
1-14	1/2	REF <a href="#">124TA4414</a>	7/8	REF <a href="#">125TA4847</a>	1/2	REF <a href="#">124TA4450</a>	M22x1,5	REF <a href="#">124TA4465</a>	M22x1,5	REF <a href="#">124TA4470</a>
1-14	3/4	REF <a href="#">125TA4841</a>	1.1/16	REF <a href="#">124TA4431</a>	3/4	REF <a href="#">124TA4451</a>				
1.3/16-12	1/2	REF <a href="#">124TA4415</a>	3/4	REF <a href="#">125TA4848</a>	1/2	REF <a href="#">124TA4452</a>				
1.3/16-12	3/4	REF <a href="#">124TA4416</a>	7/8	REF <a href="#">125TA4849</a>	3/4	REF <a href="#">124TA4453</a>	M27x2	REF <a href="#">124TA4466</a>	M27x1,5	REF <a href="#">124TA4471</a>
1.3/16-12	1	REF <a href="#">124TA4417</a>	1.1/16	REF <a href="#">125TA4850</a>	1	REF <a href="#">124TA4454</a>				
1.3/16-12			1.5/16	REF <a href="#">124TA4433</a>						
1.7/16-12	3/4	REF <a href="#">124TA4418</a>	1.1/16	REF <a href="#">124TA4434</a>	3/4	REF <a href="#">124TA4455</a>				
1.7/16-12	1	REF <a href="#">124TA4419</a>	1.5/16	REF <a href="#">124TA4435</a>	1	REF <a href="#">124TA4456</a>	M33x2	REF <a href="#">124TA4467</a>	M33x2	REF <a href="#">124TA4472</a>
1.7/16-12			1.5/8	REF <a href="#">125TA4851</a>	1.1/4	REF <a href="#">124TA4457</a>				
1.11/16-12	1	REF <a href="#">125TA4842</a>	1.5/16	REF <a href="#">125TA4852</a>	1	REF <a href="#">124TA4458</a>				
1.11/16-12	1.1/4	REF <a href="#">124TA4420</a>	1.5/8	REF <a href="#">125TA4853</a>	1.1/4	REF <a href="#">124TA4459</a>	M42x2	REF <a href="#">125TA4859</a>	M42x2	REF <a href="#">124TA4473</a>
1.11/16-12			1.7/8	REF <a href="#">125TA4854</a>	1.1/2	REF <a href="#">125TA4857</a>				
2-12			1.5/8	REF <a href="#">125TA4855</a>	1.1/4	REF <a href="#">125TA4858</a>	M48x2	REF <a href="#">125TA4860</a>	M48x2	REF <a href="#">125TA4862</a>
2-12	1.1/2	REF <a href="#">124TA4421</a>	1.7/8	REF <a href="#">125TA4856</a>	1.1/2	REF <a href="#">124TA4461</a>				









TRIPLE-LOK PLUS											
NPTF adapter male											
Tube outer Ø		JIC thread SAE	Thread NTPF								
mm	inch										
6	1/4	7/16-20	1/8	REF 124TA3426	REF 124TA3454	REF 124TA3484	REF 124TA3494	REF 124TA3504	REF 124TA3528	REF 124TA3542	REF 124TA3554
6	1/4	7/16-20	1/4	REF 124TA3427	REF 124TA3455	REF 124TA3485	REF 124TA3495	REF 124TA3505	REF 124TA3529	REF 124TA3543	REF 124TA3555
6	1/4	7/16-20	3/8	REF 124TA3428	REF 124TA3456						
6	1/4	7/16-20	1/2	REF 124TA3429	REF 124TA3457						
8	5/16	1/2-20	1/8	REF 124TA3430	REF 124TA3458	REF 124TA3486	REF 124TA3496	REF 124TA3506	REF 124TA3530	REF 124TA3544	REF 124TA3556
8	5/16	1/2-20	1/4	REF 124TA3431	REF 124TA3459			REF 124TA3507			REF 124TA3557
10	3/8	9/16-18	1/4	REF 124TA3432	REF 124TA3460	REF 124TA3487	REF 124TA3497	REF 124TA3508	REF 124TA3531	REF 124TA3545	REF 124TA3558
10	3/8	9/16-18	1/8	REF 124TA3433	REF 124TA3461			REF 124TA3509			
10	3/8	9/16-18	3/8	REF 124TA3434	REF 124TA3462			REF 124TA3510	REF 124TA3532	REF 124TA3546	REF 124TA3559
10	3/8	9/16-18	1/2	REF 124TA3435	REF 124TA3463			REF 124TA3511			
12	1/2	3/4-16	1/4	REF 124TA3436	REF 124TA3464			REF 124TA3512			REF 124TA3560
12	1/2	3/4-16	3/8	REF 124TA3437	REF 124TA3465	REF 124TA3488	REF 124TA3498	REF 124TA3513	REF 124TA3533	REF 124TA3547	REF 124TA3561
12	1/2	3/4-16	1/2	REF 124TA3438	REF 124TA3466	REF 124TA3489	REF 124TA3499	REF 124TA3514	REF 124TA3534	REF 124TA3548	REF 124TA3562
12	1/2	3/4-16	3/4	REF 124TA3439	REF 124TA3467			REF 124TA3515			
14, 15, 16	5/8	7/8-14	3/8	REF 124TA3440	REF 124TA3468			REF 124TA3516			REF 124TA3563
14, 15, 16	5/8	7/8-14	1/2	REF 124TA3441	REF 124TA3469	REF 124TA3490	REF 124TA3500	REF 124TA3517	REF 124TA3535	REF 124TA3549	REF 124TA3564
14, 15, 16	5/8	7/8-14	3/4	REF 124TA3442	REF 124TA3470			REF 124TA3518			
18, 20	3/4	1.1/16-12	1/2	REF 124TA3443	REF 124TA3471			REF 124TA3519			REF 124TA3565
18, 20	3/4	1.1/16-12	3/4	REF 124TA3444	REF 124TA3472	REF 124TA3491	REF 124TA3501	REF 124TA3520	REF 124TA3536	REF 124TA3550	REF 124TA3566
18, 20	3/4	1.1/16-12	1	REF 124TA3445	REF 124TA3473			REF 124TA3521			
22	7/8	1.3/16-12	3/4	REF 124TA3446	REF 124TA3474			REF 124TA3522	REF 124TA3537	REF 124TA3551	
25	1	1.5/16-12	3/4	REF 124TA3447	REF 124TA3475			REF 124TA3523			REF 124TA3567
25	1	1.5/16-12	1	REF 124TA3448	REF 124TA3476	REF 124TA3492	REF 124TA3502	REF 124TA3524	REF 124TA3538	REF 124TA3552	REF 124TA3568
25	1	1.5/16-12	1.1/4		REF 124TA3477						
28, 30, 32	1.1/4	1.5/8-12	1	REF 124TA3449	REF 124TA3478						REF 124TA3569
28, 30, 32	1.1/4	1.5/8-12	1.1/4	REF 124TA3450	REF 124TA3479	REF 124TA3493	REF 124TA3503	REF 124TA3525	REF 124TA3539	REF 124TA3553	REF 124TA3570
28, 30, 32	1.1/4	1.5/8-12	1.1/2		REF 124TA3480						
35, 38	1.1/2	1.7/8-12	1.1/4	REF 124TA3451	REF 124TA3481			REF 124TA3526	REF 124TA3540		
35, 38	1.1/2	1.7/8-12	1.1/2	REF 124TA3452	REF 124TA3482			REF 124TA3527	REF 124TA3541		
50	2	2.1/2-12	2	REF 124TA3453	REF 124TA3483						









BSPT adapter male									
Tube outer Ø		JIC thread SAE	Thread BSPT						
mm	inch								
6	1/4	7/16-20	1/8	REF 124TA3571	REF 124TA3593	REF 124TA3613	REF 124TA3627	REF 124TA3632	REF 124TA3637
6	1/4	7/16-20	1/4	REF 124TA3572	REF 124TA3594	REF 124TA3614			REF 124TA3638
8	5/16	1/2-20	1/8	REF 124TA3573	REF 124TA3595	REF 124TA3615	REF 124TA3628		
8	5/16	1/2-20	1/4	REF 124TA3574	REF 124TA3596	REF 124TA3616			REF 124TA3639
10	3/8	9/16-18	1/4	REF 124TA3575	REF 124TA3597	REF 124TA3617	REF 124TA3629	REF 124TA3633	REF 124TA3640
10	3/8	9/16-18	3/8	REF 124TA3576	REF 124TA3598	REF 124TA3618			REF 124TA3641
10	3/8	9/16-18	1/2	REF 124TA3577	REF 124TA3599	REF 124TA3619			
12	1/2	3/4-16	1/4	REF 124TA3578	REF 124TA3600				REF 124TA3642
12	1/2	3/4-16	3/8	REF 124TA3579	REF 124TA3601	REF 124TA3620	REF 124TA3630	REF 124TA3634	REF 124TA3643
12	1/2	3/4-16	1/2	REF 124TA3580	REF 124TA3602	REF 124TA3621			
14, 15, 16	5/8	7/8-14	3/8	REF 124TA3581	REF 124TA3603				REF 124TA3644
14, 15, 16	5/8	7/8-14	1/2	REF 124TA3582	REF 124TA3604	REF 124TA3622	REF 124TA3631	REF 124TA3635	REF 124TA3645
14, 15, 16	5/8	7/8-14	3/4	REF 124TA3583	REF 124TA3605				
18, 20	3/4	1.1/16-12	1/2	REF 124TA3584	REF 124TA3606				REF 124TA3646
18, 20	3/4	1.1/16-12	3/4	REF 124TA3585	REF 124TA3607	REF 124TA3623			REF 124TA3647
18, 20	3/4	1.1/16-12	1	REF 124TA3586					
25	1	1.5/16-12	3/4	REF 124TA3587	REF 124TA3608				REF 124TA3648
25	1	1.5/16-12	1	REF 124TA3588	REF 124TA3609	REF 124TA3624		REF 124TA3636	REF 124TA3649
28, 30, 32	1.1/4	1.5/8-12	1	REF 124TA3589	REF 124TA3610				REF 124TA3650
28, 30, 32	1.1/4	1.5/8-12	1.1/4	REF 124TA3590	REF 124TA3611	REF 124TA3625			REF 124TA3651
35, 38	1.1/2	1.7/8-12	1.1/2	REF 124TA3591	REF 124TA3612	REF 124TA3626			REF 124TA3652
35, 38	1.1/2	1.7/8-12	1.1/4	REF 124TA3592					















TRIPLE-LOK PLUS									
BSPP adapter male									
Tube outer Ø		JIC thread SAE	Thread BSPP						
mm	inch								
6	1/4	7/16-20	1/8	REF 125TA4798	REF 124TA3663	REF 124TA3683	REF 124TA3691	REF 124TA3698	REF 125TA4871
6	1/4	7/16-20	1/4	REF 124TA3653	REF 124TA3664	REF 125TA4866			REF 125TA4872
6	1/4	7/16-20	3/8	REF 125TA4799					
6	1/4	7/16-20	1/2	REF 125TA4800					
8	5/16	1/2-20	1/8	REF 125TA4863	REF 124TA3665	REF 124TA3684			REF 125TA4873
8	5/16	1/2-20	1/4	REF 125TA4801	REF 124TA3666	REF 125TA4867			REF 125TA4874
8	5/16	1/2-20	3/8	REF 125TA4802					
10	3/8	9/16-18	1/8	REF 125TA4864					
10	3/8	9/16-18	1/4	REF 124TA3654	REF 124TA3667	REF 124TA3685	REF 124TA3692	REF 124TA3699	REF 125TA4875
10	3/8	9/16-18	3/8	REF 125TA4865	REF 124TA3668				REF 125TA4876
10	3/8	9/16-18	1/2	REF 124TA3655	REF 124TA3669				
12	1/2	3/4-16	1/4	REF 124TA3656	REF 124TA3670				REF 125TA4877
12	1/2	3/4-16	3/8	REF 125TA4804	REF 124TA3671	REF 124TA3686	REF 124TA3693	REF 124TA3700	REF 125TA4878
12	1/2	3/4-16	1/2	REF 124TA3657	REF 124TA3672	REF 125TA4868		REF 125TA4870	
12	1/2	3/4-16	3/4	REF 125TA4805					
14, 15, 16	5/8	7/8-14	3/8	REF 125TA4806					REF 125TA4879
14, 15, 16	5/8	7/8-14	1/2	REF 125TA4807	REF 124TA3673	REF 124TA3687	REF 124TA3694	REF 124TA3701	REF 125TA4880
14, 15, 16	5/8	7/8-14	3/4	REF 124TA3658	REF 124TA3674	REF 125TA4869			
18, 20	3/4	1.1/16-12	3/8	REF 124TA3659					
18, 20	3/4	1.1/16-12	1/2	REF 124TA3660	REF 124TA3675				REF 125TA4881
18, 20	3/4	1.1/16-12	3/4	REF 125TA4808	REF 124TA3676	REF 124TA3688	REF 124TA3695	REF 124TA3702	REF 125TA4882
18, 20	3/4	1.1/16-12	1	REF 124TA3661	REF 125TA6248				
22	7/8	1.3/16-12	3/4	REF 125TA4809	REF 125TA6249				
25	1	1.5/16-12	3/4	REF 124TA3662	REF 124TA3677				REF 125TA4883
25	1	1.5/16-12	1	REF 125TA4811	REF 124TA3678	REF 124TA3689	REF 124TA3696	REF 124TA3703	REF 124TA3705
25	1	1.5/16-12	1.1/4	REF 125TA4812					REF 124TA3716
28, 30, 32	1.1/4	1.5/8-12	1	REF 125TA4813	REF 124TA3679				
28, 30, 32	1.1/4	1.5/8-12	1.1/4	REF 125TA4814	REF 124TA3680	REF 124TA3690	REF 124TA3697	REF 124TA3704	REF 125TA4884
28, 30, 32	1.1/4	1.5/8-12	1.1/2	REF 125TA5081					REF 125TA4885
35, 38	1.1/2	1.7/8-12	1.1/2	REF 125TA4816	REF 124TA3681				REF 125TA4886
35, 38	1.1/2	1.7/8-12	1.1/4	REF 125TA4815	REF 124TA3682				REF 125TA4887
42		2.1/4-12	1.1/2	REF 125TA4817					

DIN 3852 adapter male metric									
									
Tube outer Ø		JIC thread SAE	Thread Metric						
mm	inch								
6	1/4	7/16-20	M10x1	REF 124TA3719	REF 125TA4901	REF 125TA4918	REF 125TA4931	REF 125TA4942	REF 125TA4953
6	1/4	7/16-20	M12x1,5	REF 125TA4888	REF 125TA4902	REF 125TA4919			
8	5/16	1/2-20	M10x1,5	REF 125TA4889	REF 125TA4903	REF 125TA4920	REF 125TA4932	REF 125TA4943	
8	5/16	1/2-20	M12x1,5	REF 124TA3720	REF 125TA4904	REF 125TA4921	REF 125TA4933	REF 125TA4944	REF 125TA4954
8	5/16	1/2-20	M14x1,5		REF 125TA4905				
10	3/8	9/16-18	M14x1,5	REF 107TA6166	REF 125TA4906	REF 125TA4922	REF 125TA4934	REF 125TA4945	REF 125TA4955
10	3/8	9/16-18	M16x1,5	REF 125TA4890	REF 125TA4907				
10	3/8	9/16-18	M18x1,5			REF 125TA4923	REF 125TA4935	REF 125TA4946	
12	1/2	3/4-16	M14x1,5	REF 125TA4891					
12	1/2	3/4-16	M16x1,5	REF 125TA4892	REF 125TA4908	REF 125TA4924	REF 125TA4936	REF 125TA4947	REF 125TA4956
12	1/2	3/4-16	M18x1,5	REF 125TA4893	REF 125TA4909	REF 125TA4925	REF 125TA4937	REF 125TA4948	REF 125TA4957
14, 15, 16	5/8	7/8-14	M18x1,5	REF 125TA4894	REF 125TA4910	REF 125TA4926	REF 125TA4938	REF 125TA4949	REF 125TA4958
14, 15, 16	5/8	7/8-14	M20x1,5		REF 125TA4911				
14, 15, 16	5/8	7/8-14	M22x1,5	REF 125TA4895	REF 125TA4912	REF 125TA4927	REF 125TA4939	REF 125TA4950	REF 125TA4959
18, 20	3/4	1.1/16-12	M22x1,5	REF 125TA4896	REF 125TA4913	REF 125TA4928	REF 125TA4940	REF 125TA4951	REF 125TA4960
18, 20	3/4	1.1/16-12	M27x2	REF 125TA4897	REF 125TA4914	REF 125TA4929	REF 125TA4941	REF 125TA4952	REF 125TA4961
25	1	1.5/16-12	M33x2	REF 125TA4898	REF 125TA4915	REF 125TA4930			REF 125TA4962
28, 30, 32	1.1/4	1.5/8-12	M42x2	REF 125TA4899	REF 125TA4916				REF 125TA4963
35, 38	1.1/2	1.7/8-12	M48x2	REF 125TA4900	REF 125TA4917				



UNF adapter male											
Tube outer Ø		JIC thread	Thread								
mm	inch	SAE	UNF								
6	1/4	7/16-20	7/16-20	REF 107TA3680	REF 124TA3752	REF 124TA3759	REF 125TA6252	REF 124TA3787	REF 124TA3802	REF 124TA3810	REF 124TA3817
6	1/4	7/16-20	1/2-20	REF 124TA3724							
6	1/4	7/16-20	9/16-18	REF 124TA3725		REF 124TA3760					
6	1/4	7/16-20	3/4-16	REF 124TA3726							
8	5/16	1/2-20	1/2-20	REF 124TA3727		REF 124TA3761		REF 124TA3788	REF 124TA3803	REF 124TA3811	REF 124TA3818
8	5/16	1/2-20	9/16-18	REF 125TA6311		REF 125TA6251					
10	3/8	9/16-18	9/16-18	REF 107TA3668	REF 124TA3753	REF 107TA6525	REF 124TA3784	REF 124TA3789	REF 124TA3804	REF 124TA3812	REF 124TA3819
10	3/8	9/16-18	7/16-20	REF 124TA3728		REF 124TA3762					
10	3/8	9/16-18	1/2-20	REF 124TA4402		REF 124TA3763					
10	3/8	9/16-18	3/4-16	REF 124TA3729	REF 125TA4964	REF 124TA3764		REF 124TA3790			
10	3/8	9/16-18	7/8-14	REF 124TA3730		REF 124TA3765					
12	1/2	3/4-16	3/4-16	REF 113TA1676		REF 124TA3766	REF 125TA6253	REF 124TA3791	REF 124TA3805	REF 124TA3813	REF 124TA3820
12	1/2	3/4-16	9/16-18	REF 124TA3731		REF 124TA3767		REF 124TA3792			
12	1/2	3/4-16	7/8-14	REF 124TA3732	REF 124TA3755	REF 124TA3768		REF 124TA3793			
12	1/2	3/4-16	1.1/16-12	REF 124TA3733		REF 124TA3769					
14, 15, 16	5/8	7/8-14	7/8-14	REF 124TA3734	REF 124TA3755	REF 124TA3770	REF 124TA3785	REF 124TA3794	REF 124TA3806	REF 124TA3814	REF 124TA3821
14, 15, 16	5/8	7/8-14	3/4-16	REF 124TA3735		REF 124TA3771		REF 124TA3795			
14, 15, 16	5/8	7/8-14	1.1/16-12	REF 124TA3736		REF 124TA3772					
18, 20	3/4	1.1/16-12	1.1/16-12	REF 124TA3737	REF 124TA3756	REF 124TA3773	REF 124TA3786	REF 124TA3796	REF 124TA3807	REF 124TA3815	REF 124TA3822
18, 20	3/4	1.1/16-12	3/4-16	REF 124TA3738		REF 124TA3774					
18, 20	3/4	1.1/16-12	7/8-14	REF 124TA3739		REF 124TA3775		REF 124TA3797			
18, 20	3/4	1.1/16-12	1.5/16-12	REF 124TA3740		REF 124TA3776					
18, 20	3/4	1.1/16-12	1.3/16-12	REF 124TA3741		REF 124TA3777		REF 124TA3798			
22	7/8	1.1/16-12	1.5/16-12	REF 124TA3742							
25	1	1.5/16-12	1.5/16-12	REF 124TA3743	REF 124TA3757	REF 124TA3778	REF 125TA6254	REF 124TA3799	REF 124TA3808	REF 124TA3816	REF 124TA3823
25	1	1.5/16-12	7/8-14	REF 124TA3744		REF 124TA3779		REF 125TA4965			
25	1	1.5/16-12	1.1/16-12	REF 124TA3745		REF 124TA3780					
25	1	1.5/16-12	1.3/16-12	REF 124TA3746							
25	1	1.5/16-12	1.5/8-12	REF 124TA3747		REF 124TA3781					
28, 30, 32	1.1/4	1.5/8-12	1.5/8-12	REF 124TA3748	REF 124TA3758	REF 124TA3782		REF 124TA3800	REF 124TA3809		REF 124TA3824
28, 30, 32	1.1/4	1.5/8-12	1.5/16-12	REF 124TA3749							
35, 38	1.1/2	1.7/8-12	1.7/8-12	REF 124TA3750		REF 124TA3783		REF 124TA3801	REF 125TA4966		REF 124TA3825
35, 38	1.1/2	1.7/8-12	1.5/8-12	REF 124TA3745							
50	2	2.1/2-12	2.1/2-12	REF 124TA3751							

ISO 6149 adapter male metric									
Tube outer Ø		JIC thread	Thread						
mm	inch	SAE	Metric						
6	1/4	7/16-20	M10x1	REF 124TA3826	REF 124TA3844	REF 124TA3855	REF 125TA4976	REF 125TA4918	REF 125TA4997
6	1/4	7/16-20	M12x1,5	REF 124TA3827	REF 124TA3845	REF 124TA3856			REF 125TA4998
8	5/16	1/2-20	M10x1	REF 124TA3828	REF 124TA3846	REF 124TA3857	REF 125TA4977	REF 125TA4987	REF 125TA4999
8	5/16	1/2-20	M12x1,5	REF 124TA3829	REF 124TA3847	REF 125TA4921	REF 125TA4978	REF 125TA4988	REF 125TA5000
8	5/16	1/2-20	M14x1,5	REF 124TA3830	REF 124TA3848				
10	3/8	9/16-18	M12x1,5		REF 125TA6256				
10	3/8	9/16-18	M14x1,5	REF 107TA6166	REF 124TA3849	REF 124TA3858	REF 125TA4979	REF 125TA4989	REF 125TA5001
10	3/8	9/16-18	M16x1,5	REF 124TA3831					REF 125TA5002
10	3/8	9/16-18	M18x1,5	REF 124TA3832	REF 125TA6257	REF 125TA4968	REF 125TA4980	REF 125TA4990	
12	1/2	3/4-16	M14x1	REF 125TA6255					
12	1/2	3/4-16	M16x1,5	REF 124TA3833	REF 124TA3850	REF 125TA4969	REF 125TA4981	REF 125TA4991	REF 125TA5003
12	1/2	3/4-16	M18x1,5	REF 124TA3834	REF 124TA3851	REF 125TA4970	REF 125TA4982	REF 125TA4992	REF 125TA5004
14, 15, 16	5/8	7/8-14	M18x1,5	REF 124TA3835	REF 124TA3852	REF 125TA4971	REF 125TA4983	REF 125TA4949	REF 125TA5005
14, 15, 16	5/8	7/8-14	M22x1,5	REF 124TA3836	REF 125TA6258	REF 125TA4972	REF 125TA4984	REF 125TA4994	REF 124TA3860
14, 15, 16	5/8	7/8-14	M27x2	REF 124TA3837					
18, 20	3/4	1.1/16-12	M22x1,5	REF 124TA3838	REF 124TA3853	REF 125TA4973	REF 125TA4985	REF 125TA4995	REF 125TA5006
18, 20	3/4	1.1/16-12	M27x2	REF 124TA3839	REF 124TA3854	REF 125TA4974	REF 125TA4986	REF 125TA4996	REF 125TA5007
25	1	1.5/16-12	M27x2	REF 124TA3840					
25	1	1.5/16-12	M33x2	REF 124TA3841	REF 125TA6259	REF 125TA4975			REF 125TA5008
28, 30, 32	1.1/4	1.5/8-12	M42x2	REF 124TA3842	REF 125TA6260				REF 125TA5009
35, 38	1.1/2	1.7/8-12	M48x2	REF 124TA3843	REF 125TA6261				REF 125TA5010






NPTF adapter female									
Tube outer Ø		JIC thread	Thread						
mm	inch	SAE	NPTF						
6	1/4	7/16-20	1/8	REF 124TA3861	REF 124TA3877	REF 124TA3883	REF 124TA3898	REF 124TA3907	REF 125TA5012
6	1/4	7/16-20	1/4	REF 124TA3862		REF 124TA3884			
8	5/16	1/2-20	1/8	REF 124TA3863		REF 124TA3885	REF 124TA3899		REF 125TA5013
8	5/16	1/2-20	1/4	REF 124TA3864		REF 124TA3886			
10	3/8	9/16-18	1/8			REF 124TA3887			
10	3/8	9/16-18	1/4	REF 124TA3865	REF 124TA3878	REF 124TA3888	REF 124TA3900	REF 124TA3908	REF 125TA5014
10	3/8	9/16-18	3/8	REF 124TA3866		REF 124TA3889			
12	1/2	3/4-16	1/4			REF 124TA3890			
12	1/2	3/4-16	3/8	REF 124TA3867	REF 124TA3879	REF 124TA3891	REF 124TA3901	REF 124TA3909	REF 125TA5015
12	1/2	3/4-16	1/2	REF 124TA3868					
14, 15, 16	5/8	7/8-14	3/8	REF 125TA5011		REF 124TA3892			
14, 15, 16	5/8	7/8-14	1/2	REF 124TA3869	REF 124TA3880	REF 124TA3893	REF 124TA3902	REF 124TA3910	REF 125TA5016
18, 20	3/4	1.1/16-12	1/2	REF 124TA3870		REF 124TA3894			
18, 20	3/4	1.1/16-12	3/4	REF 124TA3871	REF 124TA3881		REF 124TA3903	REF 124TA3911	REF 125TA5017
22	7/8	1.3/16-12	3/4	REF 124TA3872		REF 124TA3895			
25	1	1.5/16-12	1	REF 124TA3873	REF 124TA3882	REF 124TA3896	REF 124TA3904	REF 124TA3912	REF 125TA5018
28, 30, 32	1.1/4	1.5/8-12	1.1/4	REF 124TA3874		REF 124TA3897	REF 124TA3905	REF 124TA3913	REF 125TA5019
35, 38	1.1/2	1.7/8-12	1.1/2	REF 124TA3875			REF 124TA3906		REF 125TA5020
50	2	2.1/2-12	2	REF 124TA3876					










## TRIPLE-LOK PLUS




### Tube – tube

Tube outer Ø 1		Tube outer Ø 2		JIC thread SAE						
mm	inch	mm	inch	1	2					
6	1/4	6	1/4	7/16-20	7/16-20	REF 124TA3914	REF 124TA3931	REF 124TA3938	REF 124TA3950	REF 124TA3961
8	5/16	8	5/16	1/2-20	1/2-20	REF 124TA3915	REF 124TA3932	REF 124TA3939	REF 124TA3951	
10	3/8	10	3/8	9/16-18	9/16-18	REF 124TA3916	REF 124TA3933	REF 124TA3940	REF 124TA3952	REF 124TA3962
10	3/8	6	1/4	9/16-18	7/16-20	REF 124TA3917	REF 125TA5022			
12	1/2	12	1/2	3/4-16	3/4-16	REF 124TA3918	REF 124TA3934	REF 124TA3941	REF 124TA3953	REF 124TA3963
12	1/2	6	1/4	3/4-16	7/16-20		REF 125TA5023			
12	1/2	10	3/8	3/4-16	9/16-18	REF 124TA3919	REF 125TA5024			
14, 15, 16	5/8	14, 15, 16	5/8	7/8-14	7/8-14	REF 124TA3920	REF 124TA3935	REF 124TA3942	REF 124TA3954	REF 124TA3964
14, 15, 16	5/8	12	1/2	7/8-14	3/4-16	REF 124TA3921				
18, 20	3/4	18, 20	3/4	1.1/16-12	1.1/16-12	REF 124TA3922	REF 124TA3936	REF 124TA3943	REF 124TA3955	REF 124TA3965
18, 20	3/4	12	1/2	1.1/16-12	3/4-16	REF 124TA3923				
18, 20	3/4	25	1	1.1/16-12	7/8-14	REF 124TA3924				
22	7/8	22	7/8	1.3/16-12	1.3/16-12	REF 124TA3925		REF 124TA3944	REF 124TA3956	
25	1	25	1	1.5/16-12	1.5/16-12	REF 124TA3926	REF 124TA3937	REF 124TA3945	REF 124TA3957	REF 124TA3966
25	1	18, 20	3/4	1.5/16-12	1.1/16-12	REF 124TA3927				
28, 30, 32	1.1/4	30, 32	1.1/4	1.5/8-12	1.5/8-12	REF 124TA3928		REF 124TA3946	REF 124TA3958	
35, 38	1.1/2	38	1.1/2	1.7/8-12	1.7/8-12	REF 124TA3929		REF 124TA3947	REF 124TA3959	
42		42		2.1/4-12	2.1/4-12	REF 125TA5021		REF 124TA3948	REF 124TA3960	
50	2	50	2	2.1/2-12	2.1/2-12	REF 124TA3930		REF 124TA3949		





### Couplings male - male

Tube outer Ø		JIC thread SAE					
mm	inch						
6	1/4	7/16-20	REF 124TA3967	REF 124TA3975	REF 124TA3984	REF 124TA3992	REF 124TA3997
8	5/16	1/2-20	REF 124TA3968	REF 124TA3976	REF 124TA3985		
10	3/8	9/16-18	REF 107TA3749	REF 124TA3977	REF 124TA3986	REF 124TA3993	REF 124TA3998
12	1/2	3/4-16	REF 107TA3745	REF 124TA3978	REF 124TA3987	REF 124TA3994	REF 124TA3999
14, 15, 16	5/8	7/8-14	REF 124TA3969	REF 124TA3979	REF 124TA3988	REF 124TA3995	REF 124TA4000
18, 20	3/4	1.1/16-12	REF 124TA3970	REF 124TA3980	REF 124TA3989	REF 124TA3996	REF 124TA4001
22	7/8	1.3/16-12	REF 124TA3971	REF 124TA3981			
25	1	1.5/16-12	REF 124TA3972	REF 124TA3982	REF 124TA3990		
28, 30, 32	1.1/4	1.5/8-12	REF 124TA3973	REF 124TA3983	REF 124TA3991		
35, 38	1.1/2	1.7/8-12	REF 124TA3974		REF 124TA4002		

### Check valves

Tube outer Ø		JIC thread SAE	Thread BSPP			
mm	inch					
6	1/4	7/16-20	1/8	REF 125TA5025	REF 125TA5034	REF 125TA5043
8	5/16	1/2-20	1/4	REF 125TA5026	REF 125TA5035	REF 125TA5044
10	3/8	9/16-18	1/4	REF 125TA5027	REF 125TA5036	REF 125TA5045
12	1/2	3/4-16	3/8	REF 125TA5028	REF 125TA5037	REF 125TA5046
14, 15, 16	5/8	7/8-14	1/2	REF 125TA5029	REF 125TA5038	REF 125TA5047
18, 20	3/4	1.1/16-12	3/4	REF 125TA5030	REF 125TA5039	REF 125TA5048
25	1	1.5/16-12	1	REF 125TA5031	REF 125TA5040	REF 125TA5049
28, 30, 32	1.1/4	1.5/8-12	1.1/4	REF 125TA5032	REF 125TA5041	REF 125TA5050
35, 38	1.1/2	1.7/8-12	1.1/2	REF 125TA5033	REF 125TA5042	REF 125TA5051

### Swivel couplings

Tube outer Ø		JIC thread SAE				
mm	inch					
6	1/4	7/16-20	REF 124TA4003	REF 124TA4013	REF 124TA4023	REF 124TA4032
8	5/16	1/2-20	REF 124TA4004	REF 124TA4014	REF 124TA4024	
10	3/8	9/16-18	REF 124TA4005	REF 124TA4015	REF 124TA4025	REF 124TA4033
12	1/2	3/4-16	REF 124TA4006	REF 124TA4016	REF 124TA4026	REF 124TA4034
14, 15, 16	5/8	7/8-14	REF 124TA4007	REF 124TA4017	REF 124TA4027	REF 124TA4035
18, 20	3/4	1.1/16-12	REF 124TA4008	REF 124TA4018	REF 124TA4028	REF 124TA4036
22	7/8	1.3/16-12	REF 124TA4009	REF 124TA4019	REF 124TA4029	
25	1	1.5/16-12	REF 124TA4010	REF 124TA4020	REF 124TA4030	REF 124TA4037
28, 30, 32	1.1/4	1.5/8-12	REF 124TA4011	REF 124TA4021	REF 124TA4031	REF 124TA4038
35, 38	1.1/2	1.7/8-12	REF 124TA4012	REF 124TA4022		



TRIPLE-LOK PLUS								
Reducers							1	1
Tube outer Ø 1		Tube outer Ø 2		JIC thread SAE			Type 1	Type 2
mm	inch	mm	inch	1	2			
8	5/16	6	1/4	1/2-20	7/16-20		REF 124TA4039	REF 124TA4055
10	3/8	6	1/4	9/16-18	7/16-20			
10	3/8	8	5/16	9/16-18	1/2-20			REF 124TA4056
12	1/2	6	1/4	3/4-16	7/16-20		REF 124TA4040	
12	1/2	8	5/16	3/4-16	1/2-20		REF 124TA4041	
12	1/2	10	3/8	3/4-16	9/16-18		REF 124TA4042	
14, 15, 16	5/8	6	1/4	7/8-14	7/16-20		REF 124TA4043	
14, 15, 16	5/8	10	3/8	7/8-14	9/16-18		REF 124TA4044	
14, 15, 16	5/8	12	1/2	7/8-14	3/4-16			REF 124TA4057
18, 20	3/4	6	1/4	1.1/16-12	7/16-20		REF 124TA4045	
18, 20	3/4	10	3/8	1.1/16-12	9/16-18		REF 124TA4046	
18, 20	3/4	12	1/2	1.1/16-12	3/4-16		REF 124TA4047	
18, 20	3/4	14, 15, 16	5/8	1.1/16-12	7/8-14			REF 124TA4058
22	7/8	18, 20	3/4	1.3/16-12	1.1/16-12			REF 124TA4059
25	1	12	1/2	1.5/16-12	3/4-14		REF 124TA4048	
25	1	14, 15, 16	5/8	1.5/16-12	7/8-14		REF 124TA4049	
25	1	18, 20	3/4	1.5/16-12	1.1/16-12		REF 124TA4050	
25	1	22	7/8	1.5/16-12	1.3/16-12		REF 124TA4051	
28, 30, 32	1.1/4	18, 20	3/4	1.7/8-12	1.1/16-12		REF 124TA4052	
28, 30, 32	1.1/4	22	7/8	1.7/8-12	1.3/16-12		REF 125TA5052	
28, 30, 32	1.1/4	25	1	1.7/8-12	1.5/16-12		REF 124TA4053	
35, 38	1.1/2	28, 30, 32	1.1/4	1.7/8-12	1.5/8-12		REF 124TA4054	
42		35, 38		2.1/4-12	1.7/8-12		REF 125TA5053	

Pressure coupling								
Tube outer Ø		JIC thread SAE	Thread BSPP					
mm	inch							
6	1/4	7/16-20	1/4	REF 124TA4060	REF 125TA5054	REF 125TA5055		
6	1/4	7/16-20	1/2	REF 124TA4061				
8	5/16	1/2-20	1/4	REF 124TA4062	REF 124TA4068	REF 125TA5056	REF 125TA5064	REF 125TA5069
8	5/16	1/2-20	1/2	REF 124TA4063				
10	3/8	9/16-18	1/4	REF 124TA4064	REF 124TA4069	REF 125TA5057		
10	3/8	9/16-18	1/2	REF 124TA4065				
12	1/2	3/4-16	1/4	REF 124TA4066	REF 124TA4070	REF 125TA5058	REF 125TA5065	REF 125TA5070
12	1/2	3/4-16	1/2	REF 124TA4067				
14, 15, 16	5/8	7/8-14	1/4		REF 124TA4071	REF 125TA5059	REF 125TA5066	REF 125TA5071
18, 20	3/4	1.1/16-12	1/4		REF 124TA4072	REF 125TA5060	REF 125TA5067	REF 125TA5072
25	1	1.5/16-12	1/4		REF 124TA4073	REF 125TA5061	REF 125TA5068	REF 125TA5073
28, 30, 32	1.1/4	1.5/8-12	1/4		REF 124TA4074	REF 125TA5062		
35, 38	1.1/2	1.7/8-12	1/4		REF 124TA4075	REF 125TA5063		

Fitting				Nuts				
Tube outer Ø		Fitting metric	Fitting inch	JIC thread SAE	Hexagonal nut metric	Hexagonal nut inch	Locknut	
mm	inch							
6	1/4	REF 124TA4076	REF 124TA4091	7/16-20	REF 124TA4100	REF 124TA4108	REF 124TA4115	
8	5/16	REF 124TA4077	REF 124TA4077	1/2-20	REF 124TA4101	REF 124TA4109	REF 124TA4116	
10	3/8	REF 124TA4078	REF 124TA4092	9/16-18	REF 124TA4102	REF 124TA4110	REF 124TA4117	
12	1/2	REF 124TA4079	REF 124TA4093	3/4-16	REF 124TA4103	REF 124TA4111	REF 124TA4118	
14	3/8	REF 124TA4080		7/8-14	REF 124TA4104			
15	3/8	REF 124TA4081		7/8-14	REF 124TA4104			
16	5/8	REF 124TA4082	REF 124TA4094	7/8-14	REF 124TA4104	REF 124TA4110	REF 124TA4119	
18	1/2	REF 124TA4083		1.1/16-12	REF 124TA4105			
20	3/4	REF 124TA4084	REF 124TA4095	1.1/16-12	REF 124TA4105	REF 124TA4111	REF 124TA4120	
22	7/8	REF 124TA4085	REF 124TA4096	1.3/16-12	REF 124TA4106	REF 124TA4112	REF 124TA4121	
25	1	REF 124TA4086	REF 124TA4086	1.5/16-12	REF 124TA4106	REF 124TA4125	REF 124TA4122	
28	1.1/4	REF 125TA5074		1.5/8-12	REF 124TA4107			
30		REF 124TA4087		1.5/8-12	REF 124TA4107			
32	1.1/4	REF 124TA4088	REF 124TA4097	1.5/8-12	REF 124TA4107	REF 125TA5078	REF 124TA4123	
35		REF 125TA5075		1.7/8-12	REF 125TA5076			
38	1.1/2	REF 124TA4089	REF 124TA4098	1.7/8-12	REF 125TA5076	REF 124TA4113	REF 124TA4124	
42		REF 124TA4090		2.1/2-12	REF 125TA5077	REF 124TA4114		
50	2		REF 124TA4099					

Various accessories							
Tube outer Ø		JIC thread SAE	Plug female	Plug male	Adapter Triple-Lok/O-Lok	Adapter Triple-Lok/O-Lok swiveling	Adapter O-Lok/Triple-Lok swiveling
mm	inch						
6	1/4	7/16-20	REF 124TA4126	REF 124TA4137	REF 124TA4148	REF 124TA4156	REF 124TA4162
8	5/16	1/2-20	REF 124TA4127	REF 124TA4138			
10	3/8	9/16-18	REF 124TA4128	REF 124TA4139	REF 124TA4149	REF 124TA4157	REF 124TA4163
12	1/2	3/4-16	REF 124TA4129	REF 124TA4140	REF 124TA4150	REF 124TA4158	REF 124TA4164
14, 15, 16	5/8	7/8-14	REF 124TA4130	REF 124TA4141	REF 124TA4151	REF 124TA4159	REF 124TA4168
18, 20	3/4	1.1/16-12	REF 124TA4131	REF 124TA4142	REF 124TA4152	REF 124TA4160	REF 124TA4165
22	7/8	1.3/16-12	REF 124TA4132	REF 124TA4143			
25	1	1.5/16-12	REF 124TA4133	REF 124TA4144	REF 124TA4153	REF 124TA4161	REF 124TA4166
28, 30, 32	1.1/4	1.5/8-12	REF 124TA4134	REF 124TA4145	REF 124TA4154		
35, 38	1.1/2	1.7/8-12	REF 124TA4135	REF 124TA4146	REF 124TA4155		
50	2	2.1/2-12	REF 124TA4136	REF 124TA4147			